

Waco Lake Plant List

Grasses, rushes, sedges, and other non-showy plants are not included. Latin names follow Shinner and Mahler's *Illustrated Flora of North Central Texas* (1999).

Habitats:

B= bottomland (moist riparian forest) areas

D= disturbed (roadsides, mowed areas)

E= woodland edge

G= grassland

U= limestone uplands

A= all habitats

If separated by a comma (eg D,G), plant is found in both habitats.

If NOT separated by comma (eg UG = Upland Grasslands only), plant is only found when the combination of habitats is present.

* = exotic (non-native)

+ = increasing since 7' pool rise

- = declining since pool rise

**= invasive

newest changes in GREEN

Trees/Shrubs:	Family	Common Name	Latin Name	Habitat
<i>Aceraceae</i>	(Maple)	Box Elder Maple	(<i>Acer negundo</i>)	B
<i>Anacardiaceae</i>	(Cashew)	Fragrant Sumac	(<i>Rhus aromatica</i>)	U
		Flameleaf Sumac	(<i>Rhus copallina</i> var. <i>lanceolata</i>)	U
		Smooth Sumac	(<i>Rhus glabra</i>)	U
		Evergreen Sumac	(<i>Rhus virens</i>)?	U
<i>Aquifoliaceae</i>	(Holly)	Possumhaw	(<i>Ilex decidua</i>)	BE,UE
<i>Asteraceae</i>	(Sunflower)	Povertyweed	(<i>Baccharis neglecta</i>)	D,G,E
<i>Berberidaceae</i>	(Barberry)	Agarita	(<i>Berberis trifoliata</i>)	U
		*Heavenly Bamboo	(<i>Nandina domestica</i>)	B,E
<i>Caprifoliaceae</i>	(Honeysuckle)	American Elder	(<i>Sambucus nigra</i> var. <i>canadensis</i>)	B
		Coralberry	(<i>Symphoricarpos orbiculatus</i>)	B
		Rusty Blackhaw	(<i>Viburnum rufidulum</i>)	B
<i>Cornaceae</i>	(Dogwood)	Roughleaf Dogwood	(<i>Cornus drummondii</i>)	B
<i>Cupressaceae</i>	(Cypress)	Ashe Juniper, Cedar	(<i>Juniperus ashei</i>)	U
		Eastern Red Cedar	(<i>Juniperus virginiana</i>)	B,U
<i>Ebenaceae</i>	(Ebony)	Texas Persimmon	(<i>Diospyros texana</i>)	U
<i>Euphorbiaceae</i>	(Euphorbia)	**Chinese Tallowtree	(<i>Sapium sebiferum</i>)	BE
<i>Fabaceae</i>	(Legume)	*Mimosa-tree	(<i>Albizia julibrissin</i>)	E
		Bastard Indigo	(<i>Amorpha fruticosa</i>)	E
		Eastern Redbud	(<i>Cercis canadensis</i>)	B,E
		Honeylocust	(<i>Gleditsia triacanthos</i>)	B,E
		Catclaw	(<i>Mimosa borealis</i>)?	U
		Mesquite	(<i>Prosopis glandulosa</i>)	U
		Eve's Necklace	(<i>Sophora affinis</i>)	B
<i>Fagaceae</i>	(Beech)	Texas or Spanish Oak	(<i>Quercus buckleyi</i>)	U
		(Escarpment)Live Oak	(<i>Quercus fusiformis</i>)	U
		Bur Oak	(<i>Quercus macrocarpa</i>)	B
		Blackjack Oak	(<i>Quercus marilandica</i>)?	U
		Shumard Oak	(<i>Quercus shumardii</i>)?	U
		Scaly-bark Oak	(<i>Quercus sinuata</i> var. <i>sinuata</i>)	U
		Post Oak	(<i>Quercus stellata</i>)	U

Additional hybrids. *Q. fusiformis* within *Q. virginiana*.

Q. buckleyi = *Q. texana*, *Q. shumardii* according to some authors.

<i>Hippocastanaceae</i>	(Buckeye)	Texas Buckeye	(<i>Aesculus arguta</i>)?	B
<i>Juglandaceae</i>	(Walnut)	Pecan	(<i>Carya illinoensis</i>)	B
		Black Hickory	(<i>Carya texana</i>)	B
		Texas Walnut	(<i>Juglans microcarpa</i>)?	
		Black Walnut	(<i>Juglans nigra</i>)	B
<i>Liliaceae</i>	(Lily)	Yucca	(<i>Yucca pallida</i>)	UE
<i>Meliaceae</i>	(Mahogany)	**Chinaberry	(<i>Melia azederach</i>)	A
<i>Moraceae</i>	(Mulberry)	Osage Orange, Bodarc	(<i>Maclura pomifera</i>)	B
		Texas Mulberry	(<i>Morus microphylla</i>)	E
		Red Mulberry	(<i>Morus rubra</i>)	B
<i>Oleaceae</i>	(Olive)	Elbow-bush	(<i>Forestiera pubescens</i>)	E,U
		White Ash	(<i>Fraxinus americana</i>)	B
		Green Ash	(<i>Fraxinus pennsylvanica</i>)?	B
		Texas Ash	(<i>Fraxinus texensis</i>)	U
		**Japanese Privet.	(<i>Ligustrum japonicum</i> , etc.)	B,U
		**Privet	(<i>Ligustrum quihoui</i>)	B
		**Chinese Privet	(<i>Ligustrum sinensis</i>)	B
<i>Platanaceae</i>	(Planetree)	Eastern Sycamore	(<i>Platanus occidentalis</i>)	B
<i>Rhamnaceae</i>	(Buckthorn)	Redroot	(<i>Ceanothus herbaceus</i>)	UE
		Carolina Buckthorn	(<i>Frangula caroliniana</i>)	B
<i>Rosaceae</i>	(Rose)	Hawthorn	(<i>Crataegus crus-galli</i>)	UE
		Mexican Plum	(<i>Prunus mexicana</i>)	B,UE
		*Photinia	(<i>Photinia serratifolia</i>)	E
<i>Rubiaceae</i>	(Madder)	Buttonbush	(<i>Cephalanthus occidentalis</i>)	BE
<i>Rutaceae</i>	(Rue)	Hoptree, Wafer Ash	(<i>Ptelea trifoliata</i>)	E
		Hercules Club	(<i>Zanthoxylum clava-herculis</i>)	BE,UE
<i>Salicaceae</i>	(Willow)	Eastern Cottonwood	(<i>Populus deltoides</i>)	BE
		Black Willow	(<i>Salix nigra</i>)	BE
<i>Sapindaceae</i>	(Soapberry)	Western Soapberry	(<i>Sapindus saponaria v. drummondii</i>)	B,U
		Mexican Buckeye	(<i>Ungnadia speciosa</i>)	B,U
<i>Sapotaceae</i>	(Sapodilla)	Gum Bumelia	(<i>Sideroxylon lanuginosum</i>)	B
<i>Tamaricaceae</i>	(Tamarisk)	**Tamarisk, Saltcedar	(<i>Tamarix spp.</i>)	B
<i>Ulmaceae</i>	(Elm)	Hackberry	(<i>Celtis laevigata</i>)	B,U
		Water Elm	(<i>Planera aquatica</i>)?	B
		American Elm	(<i>Ulmus americana</i>)	B
		Cedar Elm	(<i>Ulmus crassifolia</i>)	B,U
		Slippery Elm	(<i>Ulmus rubra</i>)	B
<i>Verbenaceae</i>	(Verbena)	American Beautyberry	(<i>Callicarpa americana</i>)	B,E,U
		*Butterflybush	(<i>Lantana camara</i>)	UE
		Butterflybush	(<i>Lantana urticoides</i>)	UE
		Pink Butterflybush	(<i>Lantana spp.</i>)	E
		*Pepper, Chaste Tree	(<i>Vitex agnus-castus</i>)	BE,UE

Ornamentals: *Nonnatives formerly cultivated at homesteads, but not spreading*

(Bignoniaceae)	Catalpa	(<i>Catalpa</i> spp.)	B
(Fabaceae)	Jerusalem Thorn	(<i>Parkinsonia aculeata</i>)	A
(Fagaceae)	Chinquapin Oak	(<i>Quercus muehlenbergii</i>)	G
(Iridaceae)	Iris	(<i>Iris germanica</i>)	B,E
(Liliaceae)	Yellow Daffodil	(<i>Narcissus</i> spp.)	D
(Myrtaceae)	Crape Myrtle	(<i>Lagerostroema indica</i>)	A
(Rosaceae)	Peach	(<i>Prunus persica</i>)	BE
	Firethorn	(<i>Pyracantha koidzumii</i>)	BE
	Rose	(<i>Rosa</i> spp.)	G

Vines:	Family	Common Name	Latin Name	
<i>Anacardiaceae</i>	(Cashew)	Poison Ivy/Oak	(<i>Toxicodendron radicans</i>)	B,E,U
<i>Apocynaceae</i>	(Dogbane)	*Periwinkle	(<i>Vinca major</i>)	DB
<i>Aquifoliaceae</i>	(Ivy)	*English Ivy	(<i>Hedera helix</i>)	B
<i>Asclepiadaceae</i>	(Milkweed)	Two-flower Milkvine	(<i>Matelea biflora</i>)	UG
		Anglepod	(<i>Matelea gonocarpos</i>)	DB
<i>Bignoniaceae</i>	(Bignonia)	Trumpetvine	(<i>Campsis radicans</i>)	BE
<i>Caprifoliaceae</i>	(Honeysuckle)	**Japan Honeysuckle	(<i>Lonicera japonica</i>)	B
		Red Honeysuckle	(<i>Lonicera sempervirens</i>)	BE
<i>Convolvulaceae</i>	(Morning Glory)	TX Bindweed	(<i>Convolvulus equitans</i>)	D,G-
		Zigzag Morning Glory	(<i>Evolvulus nuttallianus</i>)	D-
		Railroad Vine	(<i>Ipomoea cordatotriloba</i>)	E,G
		White Morning Glory	(<i>Ipomoea lacunosa</i>)	D,E
<i>Cucurbitaceae</i>	(Gourd)	*Watermelon	(<i>Citrullus lanatus</i>)	D
		*Muskmelon	(<i>Cucumis melo</i>)	D
		Stinking Gourd	(<i>Cucurbita foetidissima</i>)	D,G,U
		Texas Gourd	(<i>Cucurbita texana</i>)	DB
		Cocklebur Melon	(<i>Cyclanthera dissecta</i>)	B
		Melonette	(<i>Melothria pendula</i>)	D
		Bur Cucumber	(<i>Sicyos angulatus</i>)	DB
<i>Cuscutaceae</i>	(Dodder)	Dodder	(<i>Cuscuta cuspidata?</i>)	DBE
<i>Fabaceae</i>	(Legume)	Sharp-pod Bundleflower	(<i>Desmanthus acuminatus</i>)	D
		*Everlasting Pea	(<i>Lathyrus latifolius</i>)	D
		Sensitive Briar	(<i>Mimosa nuttallii</i>)	D
		Yellow Puff	(<i>Neptunia lutea</i>)	D
		Amberique Bean	(<i>Strophostyles helvula</i>)	BE-
		Wild Bean	(<i>Strophostyles leiosperma</i>)	D
<i>Krameriaceae</i>	(Rhatany)	Rhatany	(<i>Krameria lanceolata</i>)	DG
<i>Liliaceae</i>	(Lily)	Green-brier	(<i>Smilax bona-nox</i>)	B
		Green-brier	(<i>Smilax</i> spp.)	B,U
<i>Menyanthaceae</i>	(Bogbean)	Carolina Snailseed	(<i>Cocculus carolinus</i>)	B,D
<i>Passifloraceae</i>	(Passionvine)	Yellow Passionflower	(<i>Passiflora lutea</i>)	B
<i>Ranunculaceae</i>	(Buttercup)	Old Man's Beard	(<i>Clematis drummondii</i>)	D
		Leatherflower	(<i>Clematis pitcheri</i>)	E

<i>Rhamnaceae</i>	(Buckthorn)	Rattanvine	(<i>Berchemia scandens</i>)	B
<i>Rosaceae</i>	(Rose)	Dewberry	(<i>Rubus trivialis</i>)	B,U
<i>Sapindaceae</i>	(Soapberry)	Balloonvine	(<i>Cardiospermum halicacabum</i>)	D
<i>Vitaceae</i>	(Grape)	Peppervine	(<i>Ampelopsis arborea</i>)	BE
			(<i>Ampelopsis cordata</i>)	B
		Cowitch	(<i>Cissum incisa</i>)	B,U
		Virginia Creeper	(<i>Parthenocissus quinquefolia</i>)	B,U
		Wild Grapes	(<i>Vitis mustangensis</i>)	B,D
			(<i>Vitis spp.</i>)	B

Aquatic Flowers:	Family	Common Name	Latin Name	
<i>Acanthaceae</i>	(Acanthus)	+Water Willow	(<i>Justicia americana</i>)	
<i>Alismataceae</i>	(Water Plantain)	+Burhead	(<i>Echinodorus berteroi</i>)	
		Arrowhead	(<i>Sagittaria brevirostra</i>)?	
		+Duck Potato	(<i>Sagittaria latifolia</i>)	
		Delta Arrowhead	(<i>Sagittaria platyphylla</i>)	
<i>Amaranthaceae</i>	(Amaranth)	-**Alligator Weed	(<i>Alternanthera philoxeroides</i>)	
<i>Apiaceae</i>	(Carrot)	Pennywort	(<i>Hydrocotyle umbellata</i>)	
<i>Asteraceae</i>	(Sunflower)	-Camphorweed	(<i>Pluchea camphorata</i>)	
<i>Brassicaceae</i>	(Mustard)	*Watercress	(<i>Rorippa nasturtium-aquaticum</i>)	
<i>Lamiaceae</i>	(Mint)	Water-Horehound	(<i>Lycopus americanus</i>)	
<i>Loganiaceae</i>	(Strychnine)	Lax Hornpod	(<i>Mitreola petiolata</i>)	
<i>Lythraceae</i>	(Loosestrife)	+Toothcup	(<i>Ammannia coccinea</i>)	
		+Toothcup	(<i>Ammannia robusta</i>)	
<i>Nymphaeaceae</i>	(Water Lily)	-Yellow Lotus	(<i>Nelumbo lutea</i>)	
		Splatterdock	(<i>Nuphar lutea ssp. advena</i>)	
		+Yellow Water Lily	(<i>Nymphaea mexicana</i>)	
		+White Water Lily	(<i>Nymphaea odorata</i>)	
<i>Onagraceae</i>	(Evening Primrose)	Water Primrose	(<i>Ludwigia octovalvis</i>)	
		Water Primrose	(<i>Ludwigia peploides</i>)	
<i>Polygonaceae</i>	(Buckwheat)	Smartweed, Knotweed	(<i>Polygonum spp.</i>)	
<i>Pontederiaceae</i>	(Pickerelweed)	Water Star Grass	(<i>Heteranthera dubia</i>)	
		+Pickerel Weed	(<i>Pontederia cordata</i>)	
<i>Primulaceae</i>	(Primrose)	Limerock Brookweed	(<i>Samolus ebracteatus ssp. cuneatus</i>)	
<i>Ranunculaceae</i>	(Buttercup)	Blister Buttercup	(<i>Ranunculus scleratus</i>)	
<i>Scrophulariaceae</i>	(Figwort)	Yellow Monkeyflower	(<i>Mimulus glabratus</i>)	
		*Water Speedwell	(<i>Veronica anagallis-aquatica</i>)	

Flowers:	Family	Common Name	Latin Name	
<i>Acanthaceae</i>	(Acanthus)	False Mint	(<i>Dicliptera brachiata</i>)	B,E
		Snake Herb	(<i>Dyschoriste linearis</i>)	E,UG-
		Wild Petunia	(<i>Ruellia drummondiana</i>)	B
		Low Wild Petunia	(<i>Ruellia humilis</i>)	B,E
		Tall Wild Petunia	(<i>Ruellia nudiflora var. nudiflora</i>)	G,D

<i>Amaranthaceae</i>	(Amaranth)	Redroot	(<i>Amaranthus palmeri</i>)	D
		Amaranth	(<i>Amaranthus spp</i>)	D
<i>Apiaceae</i>	(Carrot)	Prairie Bishop's Weed	(<i>Bifora americana</i>)	G
		Chervil	(<i>Chaerophyllum tainturieri</i>)	B,E
		Honewort	(<i>Cryptotaenia canadensis</i>)	B
		Rattlesnake Weed	(<i>Daucus pusillus</i>)	D
		Eryngo	(<i>Eryngium hookeri</i>)	DBE
		Eryngo	(<i>Eryngium leavenworthii</i>)	DG
		Prairie Parsley	(<i>Polytaenia nuttallii v. texana</i>)	G
		*Venus' Comb	(<i>Scandix pecten-veneris</i>)	D
		*Hedge Parsley	(<i>Torilis arvensis</i>)	D
		*Knotted Hedge Parsley	(<i>Torilis nodosa</i>)	E
<i>Araceae</i>	(Arum)	Green Dragon	(<i>Arisaema dracontium</i>)	DB
<i>Asclepidaceae</i>	(Milkweed)	Spider AntelopeHorns	(<i>Asclepias asperula ssp. capricornu</i>)	G
		Hierba de Zizotes	(<i>Asclepias oenotheroides</i>)	D,G
		Wand Milkweed	(<i>Asclepias viridiflora</i>)	D
		Green Antelope Horns	(<i>Asclepias viridis</i>)	D,G
<i>Asteraceae</i>	(Sunflower)	Annual Bursage	(<i>Ambrosia acanthicarpa</i>)	G
		Small Ragweed	(<i>Ambrosia artemisifolia</i>)	D
		Bloodweed	(<i>Ambrosia trifida</i>)	B,D
		see <i>Guttierizia</i>	(<i>Amphiachyris spp.</i>)	
		Texas Aster	(<i>Aster drummondii v. texanus</i>)	BE,U
		Heath Aster	(<i>Aster ericoides</i>)	D,G
		Tall White Aster	(<i>Aster lanceolatus ssp. lanceolatus</i>)	E
		White Woods Aster	(<i>Aster lateriflorus</i>)	BE
		Annual or Slim Aster	(<i>Aster subulatus v. ligulatus</i>)	D
		Spanish Needles	(<i>Bidens bipinnata</i>)	DB
		Beggar Ticks	(<i>Bidens frondosa</i>)	DBE
		Lawnflower	(<i>Calyptocarpus vialis</i>)	D
		*Musk Thistle	(<i>Carduus nutans</i>)	D
		**Bristle Thistle	(<i>Carduus tenuiflorus</i>)	DE
		Basketflower	(<i>Centaurea americana</i>)	E,G
		**Star Thistle	(<i>Centaurea melitensis</i>)	DG
		Soft Golden-aster	(<i>Chrysopsis pilosa</i>)	UE
		Blackland Thistle	(<i>Cirsium engelmannii</i>)?	G
		Texas Thistle	(<i>Cirsium texanum</i>)	D,G
		Plumed Thistle	(<i>Cirsium undulatum</i>)?	G
		Horseweed	(<i>Conyza canadensis</i>)	D
		Goldenwaves	(<i>Coreopsis tinctoria</i>)	G
		*Large Coreopsis	(<i>Coreopsis grandiflora v. longipes</i>)	DG
		Scratch Daisy	(<i>Croptilon hookerianum v. validum</i>)	DG
		Clasping Coneflower	(<i>Dracopis amplexicaulis</i>)	G
		Black Samson	(<i>Echinacea angustifolia</i>)	UE
		Pipeplant	(<i>Eclipta prostrata</i>)	AE
		Cutleaf Daisy	(<i>Engelmannia peristenia</i>)	G
		Burnweed	(<i>Erechtites hieracifolia</i>)	D,G

Plains Fleabane	(<i>Erigeron modestus</i>)	D,G
Philadelphia Fleabane	(<i>Erigeron philadelphicus</i>)	G
Mistflower	(<i>Eupatorium coelestinum</i>)	BE
Late Boneset	(<i>Eupatorium serotinum</i>)	B
Indian Blanket	(<i>Gaillardia pulchella</i>)	D,G
Perfume Ball	(<i>Gaillardia suavis</i>)	UG
Little-head Gumweed	(<i>Grindelia adenodonta</i>)	DG
Sawtooth Gumweed	(<i>Grindelia papposa</i>)	D,G
False Broomweed	(<i>Guttierizia dranunculoides</i>)	D
*Dwarf Dandelion	(<i>Hedypnois cretica</i>)	DG
Bitterweed	(<i>Helenium amarum</i>)	D
Sneezeweed	(<i>Helenium microcephalum</i>)	BE
Sunflower	(<i>Helianthus annuus</i>)	D,G
Maximilian Sunflower	(<i>Helianthus maximiliani</i>)	G
Ashy Sunflower	(<i>Helianthus mollis</i>)	D
Camphor Goldenaster	(<i>Heterotheca subaxillaris</i>)	D,G
Old Plainsman	(<i>Hymenopappus scabiosaeus</i>)	G
Telegraph Lettuce	(<i>Lactuca floridana</i>)	B
Western Wild Lettuce	(<i>Lactuca ludoviciana</i>)	B
*Prickly Lettuce	(<i>Lactuca serriola</i>)	D
Gayfeather	(<i>Liatris mucronata</i>)	D,E
Texas Star	(<i>Lindheimera texana</i>)	G
Skeleton Plant	(<i>Lygodesmia texana</i>)	G
Butterweed	(<i>Packera glabella</i>)	DG
Small Palafoxia	(<i>Palafoxia callosa</i>)	D
Rayweed	(<i>Parthenium hysterophorus</i>)	D
Texas Dandelion	(<i>Pyrrhopappus pauciflorus</i>)	G
Mexican Hat	(<i>Ratibida columnifera</i>)	D,G
Black-eyed Susan	(<i>Rudbeckia hirta</i> v. <i>pulcherrima</i>)	UG
*Common Groundsel	(<i>Senecio vulgaris</i>)	D,G
Roughstem Rosinweed	(<i>Silphium radula</i>)	UE
*Milk Thistle	(<i>Silybum marianum</i>)	D
Goldenrod	(<i>Solidago spp.</i>)	D,G
*Sowthistle	(<i>Sonchus asper</i>)	D
*Prickly Sowthistle	(<i>Sonchus oleracea</i>)	D
see <i>Aster spp.</i>	<i>Symphyotrichum spp.</i>	
*Common Dandelion	(<i>Taraxacum officinale</i>)	D
Plains Yellow Daisy	(<i>Tetraneuris scaposa</i>)	G
Greenthread	(<i>Thelesperma filifolium</i>)	G
Greenthread	(<i>Thelesperma simplicifolium</i>)	G
Dogweed, Parralena	(<i>Thymophylla pentachaeta</i>)	D
Tiny Tim	(<i>Thymophylla tenuiloba</i>)	D
Golden Crownbeard	(<i>Verbesina encelioides</i>)	D
Frostweed	(<i>Verbesina virginica</i>)	B
Western Ironweed	(<i>Vernonia baldwinii</i>)	D,G
Golden-Eye	(<i>Viguera dentata</i>)	E

		Sleepy Daisy	(<i>Xanthisma texanum</i>)?	G
		Cocklebur	(<i>Xanthium strumarium</i>)	B
<i>Boraginaceae</i>	(Borage)	*Gromwell	(<i>Buglossoides arvensis</i>)	G
		*Turnsole	(<i>Heliotropium indicum</i>)	BE
		Stickseed	(<i>Lappula occidentalis</i>)	G
		Puccoon	(<i>Lithospermum incisum</i>)	G
		Bejar Marbleseed	(<i>Onosmodium bejariense</i>)	B
<i>Brassicaceae</i>	(Mustard)	White Draba	(<i>Draba platycarpa</i>)	G
		*Shepherd's Purse	(<i>Capsella bursa-pastoris</i>)	E,G
		*India Mustard	(<i>Brassica juncea</i>)	D
		Peppergrass	(<i>Lepidium spp.</i>)	D
		Bladderpod	(<i>Lesquerella gracilis</i>)	DG
		*Wild Rape	(<i>Rapistrum rugosum</i>)	D
<i>Cactaceae</i>	(Cactus)	Plains Nipple Cactus	(<i>Escobaria missouriensis</i>)	UG
		Prickly Pear	(<i>Opuntia engelmannii/macrorrhiza</i>)	G,U
		Christmas Cholla	(<i>Opuntia leptocaulis</i>)	E
<i>Campanulaceae</i>	(Bellflower)	Venus' Looking-glass	(<i>Triodanis perfoliata</i>)	D
<i>Capparidaceae</i>	(Caper)	Clammyweed	(<i>Polanisia dodecandra</i>)	D
<i>Caryophyllaceae</i>	(Pink)	Chickweed	(<i>Cerastium spp.</i>)	G
		*Common Chickweed	(<i>Stellaria media</i>)	D
<i>Commelinaceae</i>	(Spiderwort)	Dayflower	(<i>Commelina erecta</i>)	B,D
		Dayflower	(<i>Commelina spp.</i>)	B
		False Dayflower	(<i>Tinantia anomala</i>)	B
		Spiderwort	(<i>Tradescantia edwardsiana</i>)	B,E
<i>Crassulaceae</i>	(Stonecrop)	Yellow Stonecrop	(<i>Sedum nuttallianum</i>)	G,U
<i>Euphorbiaceae</i>	(Euphorbia)	Spurge	(<i>Chamaesyce spp. x3</i>)	D
		Bull Nettle	(<i>Cnidoscolus texanus</i>)	D,G
		Croton	(<i>Croton spp.</i>)	D
		Low Wild Mercury	(<i>Ditaxis humilis v. humilis</i>)	G
		Snow-on-the-prairie	(<i>Euphorbia bicolor</i>)	DG
		Wild Poinsettia	(<i>Euphorbia cyathophora</i>)	B
		Toothed Spurge	(<i>Euphorbia dentata</i>)	D
		Leaf Flower	(<i>Phyllanthus spp.</i>)	D
		Noseburn	(<i>Tragia spp.</i>)	D
<i>Fabaceae</i>	(Legume)	Fern Acacia	(<i>Acacia angustissima var. hirta</i>)	D
		Groundnut	(<i>Apios americana</i>)	BE
		Milkvetch	(<i>Astragalus distortus</i>)?	G
		Partridge Pea	(<i>Chamaecrista fasciculata</i>)	D
		Golden Silkthumb	(<i>Dalea aurea</i>)	DUE
		Purple Prairie Clover	(<i>Dalea purpurea</i>)	DUE
		Illinois Bundleflower	(<i>Desmanthus illinoensis</i>)	G
		Tweedy's Tick Clover	(<i>Desmodium tweedyi</i>)	BE
		Tick Clover	(<i>Desmodium</i> or <i>Galactia spp.</i>)	U,E
		Bagpod	(<i>Glottidium vesicarium</i>)	BE
		Scarlet Pea	(<i>Indigofera miniata</i>)	DG
		Bush Clover	(<i>Lespedeza texana</i>)	U

		Texas Bluebonnet	(<i>Lupinus texensis</i>)	D,G
		*Hop Clover	(<i>Medicago lupulina</i>)	D,G
		*Small Bur Clover	(<i>Medicago minima</i>)	D,G
		*Bur Clover	(<i>Medicago polymorpha</i>)	D,G
		*Alfalfa	(<i>Medicago sativa</i>)	D
		*White Sweet Clover	(<i>Melilotus albus</i>)	D
		*Yellow Sweet Clover	(<i>Melilotus officinalis</i>)	D,G
		Tall-bread Scurf-Pea	(<i>Pediomelum cuspidatum</i>)	UE
		Slim-leaf Scurf Pea	(<i>Psoraleidum tenuiflorum</i>)	U
		Two-leaf Senna	(<i>Senna roemeriana</i>)	UG
		Rattlebush	(<i>Sesbania drummondii</i>)	BE
		Indian Hempweed	(<i>Sesbania herbacea</i>)	BE
		*White Clover	(<i>Trifolium repens</i>)	D
		Vetch	(<i>Vicia ludoviciana</i>)	DG
		*Common Vetch	(<i>Vicia sativa</i>)	D,G
		*Winter Vetch	(<i>Vicia villosa</i>)	DG
<i>Gentianaceae</i>	(Gentian)	Mountain Pink	(<i>Centaurium beyrichii</i>)	U
		Rosita	(<i>Centaurium floribundum</i>)	U
		Lady Bird Centuary	(<i>Centaurium texense</i>)	D
		Bluebell Gentian	(<i>Eustoma russellianum</i>)	G
		Prairie Rose Gentian	(<i>Sabatia campestris</i>)	D
<i>Geraniaceae</i>	(Geranium)	*Redstem Filaree	(<i>Erodium cicutarium</i>)	D
		Texas Storkbill	(<i>Erodium texanum</i>)	DG
		Carolina Geranium	(<i>Geranium carolinianum</i>)	BE
<i>Hydrophyllaceae</i>	(Waterleaf)	Sandbell	(<i>Nama hispidum</i>)	DG
		Texas Blue Eyes	(<i>Nemophila phacelioides</i>)	B
		Phacelia	(<i>Phacelia congesta</i>)	BE
<i>Iridaceae</i>	(Iris)	Celestials	(<i>Nemastylis geminiflora</i>)	B
		Blue-eyed Grass	(<i>Sisyrinchium spp.</i>)	B
<i>Lamiaceae</i>	(Mint)	Mock Pennyroyal	(<i>Hedeoma acinoides</i>)	D,G
		False Pennyroyal	(<i>H. reverchonii v. reverchonii</i>)	UG
		*Henbit	(<i>Lamium amplexicaule</i>)	D,G
		*Horehound	(<i>Marrubium vulgare</i>)	D
		Lemon Beebalm	(<i>Monarda citriodora</i>)	E,G
		Obedient Plant	(<i>Physostegia intermedia</i>)	D
		Slender Mtn Mint	(<i>Pycnanthemum tenuifolium</i>)	UG
		Engelmann's Sage	(<i>Salvia engelmannia</i>)	GE
		Mealy Sage	(<i>Salvia farinacea</i>)	UG
		Lyre-leaf Sage	(<i>Salvia lyrata</i>)	E
		Texas Sage	(<i>Salvia texana</i>)	UG
		Drummond's Skullcap	(<i>Scutellaria drummondii</i>)	G
		Shade Betony	(<i>Stachys crenata</i>)	B
		American Germander	(<i>Teucrium canadense</i>)	BE
		Annual Germander	(<i>Teucrium cubense v. laevigatum</i>)	BD
		Prairie Brazoria	(<i>Warnockia scutellarioides</i>)	E
<i>Liliaceae</i>	(Lily)	Wild Onion	(<i>Allium canadense</i>)	B,E

		Drummond's Onion	(<i>Allium drummondii</i>)	B,G
		Rain Lily	(<i>Cooperia drummondii</i>)	G
		White Trout Lily	(<i>Erythronium mesochoreum</i>)?	B
		*Copper Lily	(<i>Habranthus tubispathus</i>)	DG
		Grape Hyacinth	(<i>Muscari neglectum</i>)	DE
		Crow Poison	(<i>Nothoscordium bivalve</i>)	A
		Death Camas	(<i>Zigadenus nuttallii</i>)	G
<i>Linaceae</i>	(Flax)	Blue Meadow Flax	(<i>Linum pratense</i>)	E
		Orange Flax	(<i>Linum rigidum</i> var. <i>berlandieri</i>)	DG
		Yellow Flax	(<i>Linum sulcatum</i>)	G
<i>Loasaceae</i>	(Stickleaf)	Orange Stickleaf	(<i>Mentzelia oligosperma</i>)	G
		Yellow Stickleaf	(<i>Mentzelia albescens</i> ?)	BE
<i>Lythraceae</i>	(Loosestrife)	Lanceleaf Loosestrife	(<i>Lythrum alatum</i> v. <i>lanceolatum</i>)	BG
<i>Malvaceae</i>	(Mallow)	Indian mallow	(<i>Abutilon fruticosum</i>)	E
		Winecup	(<i>Callirhoe involucrata</i>)	UG
		Common Mallow	(<i>Malva neglecta</i>)?	D
		Spearleaf Sida	(<i>Rhynchosida physocalyx</i>)	D
		Spreading Sida	(<i>Sida abutifolia</i>)	D
<i>Nyctaginaceae</i>	(4-o'clock)	Spiderling	(<i>Boerhaavia erecta</i>)	D
		*Four o'clock Flower	(<i>Mirabilis jalapa</i>)	B
		Wild Four-o'clock	(<i>Mirabilis nyctaginea</i>)	DG
<i>Onagraceae</i>	(Evening Primrose)	Sundrops	(<i>Calylophus berlandieri</i>)	UG
		Beeblossom	(<i>Gaura filiformis</i> ?)	D
		Lizard-tail	(<i>Gaura parviflora</i>)	D
		Kisses	(<i>Gaura suffulta</i>)	D
		Cut-leaf E.P.	(<i>Oenothera laciniata</i>)	DG
		Pink Evening Primrose	(<i>Oenothera speciosa</i>)	G
		Stemless Yellow E.P.	(<i>Oenothera triloba</i>)	DG
<i>Orobanchaceae</i>	(Broomrape)	Broomrape	(<i>Orobanche ludoviciana</i> ssp. <i>multiflora</i>)	
<i>Oxalidaceae</i>	(Wood Sorrel)	Yellow Wood Sorrel	(<i>Oxalis stricta</i>)	D
		Violet Wood Sorrel	(<i>Oxalis violacea</i>)	B
<i>Papaveraceae</i>	(Poppy)	White Prickly Poppy	(<i>Argemone albiflora</i> ssp. <i>texana</i>)	DG
		*Goldensmoke	(<i>Corydalis curvisiliqua</i>)	D
<i>Pedaliaceae</i>	(Sesame)	Pale Devil's Claw	(<i>Proboscidea louisianica</i>)	D
<i>Phytolaccaceae</i>	(Pokeweed)	Pokeweed	(<i>Phytolacca americana</i>)	B
		Rouge Plant	(<i>Rivina humilis</i>)	B
<i>Plantaginaceae</i>	(Plantain)	Cedar Plantain	(<i>Plantago helleri</i>)	G
		*English Plantain	(<i>Plantago lanceolata</i>)	D
		*Broadleaf Plantain	(<i>Plantago major</i>)	G
		Red-seed Plantain	(<i>Plantago rhodosperma</i>)	B
<i>Polemoniaceae</i>	(Phlox)	Standing Cypress	(<i>Ipomopsis rubra</i>)	UE
		Phlox	(<i>Phlox drummondii</i>)	G
<i>Polygonaceae</i>	(Buckwheat)	*Curly Dock	(<i>Rumex crispus</i>)	D
		Heart-wing Sorrel	(<i>Rumex hastulatus</i>)	G
<i>Portulacaceae</i>	(Purslane)	Common Purslane	(<i>Portulaca oleracea</i>)	D
<i>Primulaceae</i>	(Primrose)	*Scarlet Pimpernel	(<i>Anagallis arvensis</i>)	DG

<i>Ranunculaceae</i>	(Buttercup)	Anemone	(<i>Anemone berlandieri</i>)	G
		Prairie Larkspur	(<i>Delphinium carolinianum</i>)?	G
		Large Buttercup	(<i>Ranunculus macranthus</i>)	BG
		*Rough-seed B-cup	(<i>Ranunculus muricatus</i>)	BE
<i>Rosaceae</i>	(Rose)	White Avens	(<i>Geum canadense</i>)	B
<i>Rubiaceae</i>	(Madder)	Virginia Buttonweed	(<i>Diodia virginiana</i>)	BE
		Bedstraw	(<i>Galium aparine</i>)	D,E
		Bedstraw	(<i>Galium spp.</i>)	BE
		Bluets	(<i>Hedyotis nigricans</i>)	D,G
		*Field Madder	(<i>Sherardia arvensis</i>)	DG
<i>Scrophulariaceae</i>	(Figwort)	family to be split		
		Purple? Gerardia	(<i>Agalinis heterophylla</i>)	D,G
		*Bellardia	(<i>Bellardia trixago</i>)	DG
		Texas Paintbrush	(<i>Castilleja indivisa</i>)	G
		Texas Toadflax	(<i>Nuttallanthus texanus</i>)?	U
		False Foxglove	(<i>Penstemon cobaea</i>)	UG
		*Common Mullein	(<i>Verbascum thapsis</i>)	D
		*Common Speedwell	(<i>Veronica arvensis</i>)	DG
		*Speedwell	(<i>Veronica persica</i>)	D
<i>Solanaceae</i>	(Nightshade)	Chilitepin, Bird Pepper	(<i>Capsicum annuum</i>)	E
		False Nightshade	(<i>Chamaesaracha conoides</i>)	D
		Ground Cherry	(<i>Physalis acutifolia</i> ?)	D
		Ground Cherry	(<i>Physalis heterophylla</i>)	D,E
		Ground Cherry	(<i>Physalis pubescens</i> ?)	D
		White-fl Horsenettle	(<i>Solanum carolinense</i>)	D,G
		Western Horsenettle	(<i>Solanum dimidiatum</i>)	D
		Silverleaf Nightshade	(<i>Solanum eleagnifolium</i>)	D,G
		Buffalo Bur	(<i>Solanum rostratum</i>)	D
		Texas Nightshade	(<i>Solanum triquetrum</i>)	BE
<i>Urticaceae</i>		Stinging Nettle	(<i>Urtica chamaedryoides</i>)	B
<i>Valerianaceae</i>		Cornsalad	(<i>Valerianella spp.</i>)	D
<i>Verbenaceae</i>	(Vervain)	Dakota Vervain	(<i>Glandularia bipinnatifida</i>)	D,G
		Pink Vervain	(<i>Glandularia pumila</i>)	D
		Frogfruit	(<i>Lippia nodiflora</i>)	D
		Texas Vervain	(<i>Verbena halei</i>)	D,G
		*Tuber Vervain	(<i>Verbena rigida</i>)	D
		Harsh Vervain	(<i>Verbena scabra</i>)	AE
<i>Violaceae</i>	(Violet)	Violet	(<i>Viola missouriensis</i>)	B,G
<i>Viscaceae</i>	(Mistletoe)	Mistletoe	(<i>Phoradendron tomentosum</i>)	B,U
<i>Zygophyllaceae</i>	(Caltrop)	Warty Caltrop	(<i>Kallstroemia parviflora</i>)	DG
		*Puncture Vine	(<i>Tribulus terrestris</i>)	DG